



Certificate of Analysis

Client Information

VINATURA SUPPLEMENTS
2093 PHILADELPHIA PIKE #7324
CLAYMONT, DE 19703
USA
302-306-0899

Sample Information

Sample ID: 779251
Date Received: 11/4/2024
Description: DihydroBerberine
Lot#: AS092124-1

Results

Analysis	Method	†MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Heavy Metals</u>	ARL ICPMS 8.016					1
Arsenic (As)	ARL ICPMS 8.016	0.001	Record Only	0.181	ppm	1
Cadmium (Cd)	ARL ICPMS 8.016	0.001	Record Only	0.029	ppm	1
Mercury (Hg)	ARL ICPMS 8.016	0.001	Record Only	0.003	ppm	1
Lead (Pb)	ARL ICPMS 8.016	0.001	Record Only	0.018	ppm	1

†Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.

Under a

Form: coa031201a Report: 779251

experience • professionalism • value

Released by: Spencer Ashby

Printed on: 11/11/2024 9:03:12 AM

Date Released: 11/11/2024

This Certificate of Analysis (COA) represents data only for the sample provided and is valid only in conjunction with the provided QR code. It does not constitute a guarantee of quality for the entire production lot. This COA shall not be reproduced, except in its entirety. Amendments to this COA shall be made only by ARL through written requests by the Client to whom this COA is issued. As a confirmation of validity, the above-provided QR code links to this exact COA on ARL servers. Its absence signals potential alterations.